




















What is a MSDS-Binder?

Before 2019 it was a requirement that Safety Data Sheets were printed on hard copy. Now online access to Safety Data Sheets is allowed.



Why and how to maintain a library of SDSs?

Binder: Test Corporation Inc.

#	Product Name	Signal Word	Pictograms & Controls	Page
1	Clorox Cream Cleaner	Warning		3
2	Clorox Disinfecting Bleach	Danger	 	18
3	IPA	Fare	     	25
4	Isopropanol	Fare	 	31
5	KOLORSAFE DRY BASE NEUTRALIZER	Warning		44
6	Oxygen (0.0015-19.49%), Methane (0.0005-2.5%), Carbon Monoxide (0.001-0.09%), Hydrogen	Warning	 	63
7	Piccolo Reagent D			75
8	UNISET 621-PART 2	Danger	  	82

A click on the page number will move binder to the Safety Data Sheet

The PDF reader will move to the page you clicked (82 in this example) where the Safety Data Sheet is found in the SDS-Binder file.

Why and how to maintain a library of SDSs?



UNISET 621-PART 2

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Date of Issue: 5/14/2015 Revision date: 4/22/2022 Version: 1.4

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : UNISET 621-PART 2
Product code : 94080
Other means of identification : Polymeric MDI In Aromatic Solvent

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Urethane No-Bake Binder, Part 2

1.3. Supplier

United Erie - Division of Alpent II, Inc.
1432 Chestnut Street
Erie, PA, United States, 16502
United States
T 1-800-377-7561 - F 1-814-454-8996
herm-eh&s@interstatechemical.com - www.unitederie.com

1.4. Emergency telephone number

Emergency number : For 24-Hour Emergency Information Call Chemtrec: +1 (800) 424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 4	H227	Combustible liquid
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2A	H319	Causes serious eye irritation
Respiratory sensitization, Category 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Carcinogenicity Category 2	H351	Suspected of causing cancer
Specific target organ toxicity (single exposure) Category 3	H335	May cause respiratory irritation
Specific target organ toxicity (repeated exposure) Category 2	H373	May cause damage to organs through prolonged or repeated exposure

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS-US)



Signal word (GHS-US)

: Danger

Hazard statements (GHS-US)

: H227 - Combustible liquid
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

4/22/2022 (Revision date)

EN (English US)

1/12

Click the below link and test it yourself.

Why and how to maintain a library of SDSs?

Unique solution ID: #1014

Author: n/a

Last update: 2023-12-08 13:02