

Miscellaneous

Getting started: Single location, without SDSs to import

In this article, we will show you how to get started on using SDS Manager to manage your library of Safety Data Sheets (SDSs). We will cover the following areas:

Step 1: Add SDSs to your SDS library by searching our database of 13Million + Safety Data Sheets.

Step 2: Create QR code poster to allow your employees to access specific locations in the SDS library

Step 3: Invite your employees to join on SDS Manager **(Optional)**

Step 4: Look through SDSs that contains restricted chemicals and substitute where necessary **(Optional)**

Step 5: Create Secondary container labels for hazardous chemicals **(Optional)**

Step 6: Print out SDS binders if you prefer to have hard copies **(Optional)**

Step 7: Keep your SDS library up to date with new revisions

Step 1: Add SDSs to your SDS library by searching our database of 13Million + Safety Data Sheets

You can manage your SDSs under "Manage SDS Library"

Click here to [open SDS Manager to manage your SDS library \(require login\)](#).

Miscellaneous

SDS Library for Company X > RE Department

RE Department

Filter by Product name, Supplier, CAS# or UFI#

Filter + Add

General Hazard Revision Risk Custom Fields

Product Name ↑	Signal word	Amount	Pictograms & Controls	Substance hazard	Actions
ACID PERMS (ESTER-FREE) ACID PERMS (ESTER-FREE) Refer to individual company	Warning	5000 (gals)	!	H4 S1 E1	[Icons]
AEROSOL MOUSSES AEROSOL MOUSSES Refer to individual company	Danger	N/A	! !	H2 S4 E3	[Icons]
ALKALINE PERMS AND RELAXERS ALKALINE PERMS AND RELAXERS Refer to individual company	Warning	N/A	!	H4 S1 E1	[Icons]

To add a SDS for a product, simply search for the product name, then hover on the (+) icon and choose "Add Safety Data Sheet to YOURLOCATION".

Add substance to RE Department

Search for Safety Data Sheet in our database of 11Million+ Safety Data Sheets.

CRC foam

Advanced search ^

Language: English Region: EU Search only among SDS in use by Test CC

Name	Supplier	Revision date	Regulation area	Language
+ CRC 8098 Foam Adhesive	CRC Industries	2019-01-11	EU	English PDF
+ Add Safety Data Sheet to "RE Department"	ts, Inc	2019-01-25		English PDF
+ Add Safety Data Sheet to other locations	Co	2017-05-23		English PDF
+ POLYURETHANE FOAM Aerosol	CRC Industries Europe bvba	2012-01-19	EU	English PDF

If you want to add the same SDS to multiple locations in one operation, select "Add Safety Data

Miscellaneous

Sheet to other locations" instead.

Add substance to RE Department



Search for Safety Data Sheet in our database of 11Million+ Safety Data Sheets.

CRC foam



Advanced search ^

Language

Region

English


EU



Search only among SDS in use by Test CC

Name	Supplier	Revision date	Regulation area	Language	
<input type="checkbox"/> CRC 8098 Foam Adhesive	CRC Industries	2019-01-11	EU	English	
<input type="checkbox"/> Add Safety Data Sheet to "RE Department"	...s, Inc	2019-01-25		English	
<input type="checkbox"/> Add Safety Data Sheet to other locations	...Co	2017-05-23		English	
<input type="checkbox"/> POLYURETHANE FOAM Aerosol	CRC Industries Europe bvba	2012-01-19	EU	English	

Add Safety Data Sheet to "RE Department"
Add Safety Data Sheet to other locations



Add substance to locations



Search Location



Department Y

MT

Main Lobby

String Unit

Lab B

Lab A

Department Z

HSE

RE Department

SUS Department

4 selected locations

Add

Step 2: Create QR code poster to allow your employees to access specific locations in the SDS library

Miscellaneous

Employees can get read-only access to some SDSs via QR-codes.


To create a QR-code-login do the following steps:

(1) Click here to [open SDS Manager User management page \(require login\)](#)



(2) click on 'Add QR login user' and name the user. If you like the QR code to get access to all SDS on your account, select "Access to all SDSs". If the QR code should only give access to SDS on some locations, select "Customized access" and then (3) click 'Create'.

If you selected "Customized access" you select the locations (4) that you want the QR code to give access to, then (5) click 'Save'. Employees who log in via the QR code login will now have read-only access to the SDSs on selected locations.

Miscellaneous



When the QR code user is created, you can view the QR code by (1) clicking on the QR code image.

Name	Email address	Role	QR login	Status
 Access to RE Department -		Staff	 1	Active

Rows per page 10 1-1 of 1

The button (2) "Print QR code for login" will generate a poster with the QR code.

If you want to give access to your SDS library from your intranet, you can simply (3) create a QR code user, scan the QR code and copy the link and add it to your intranet.

The button (4) "Email access link to your team" allow you to share access via email.

You can or click on the image or scan the below QR code with your mobile phone to see how this will look for your employees.

Miscellaneous

Login QR Code



Please choose a print layout



2

Print QR code for login

You can use the URL of the QR code to add a link to the SDS library on your Intranet

3

Copy URL to clipboard

4

Email access link to your team

If you want the link to give access to all SDS in your organization, the QR code user must be granted access to all locations.

You can create many “QR code users” – e.g., one for each of your locations, or a “QR code user” that gives access to all the SDSs your organization has in the SDS library.

Step 3: Invite your employees to join on SDS Manager

With SDS Manager, you can add unlimited numbers of users. We suggest that you only create user accounts for employees that will administrate the SDS library.

Click here to [open SDS Manager to invite employees \(require login\)](#).

Miscellaneous



The screenshot shows the SDS Manager dashboard. On the left is a navigation menu with items: Dashboard, All my SDSs, My locations, Manage SDS Library, Global SDS Search, SDS compliance, Substitutions, Risk assessment, Job procedures, My job procedures, Exposures, and Reports. The main content area has a header: 'See SDS Manager in daily use - from your employees perspective'. Below this is a search bar for finding Safety Data Sheets. Three key metrics are displayed: 'SDS I have access to' (189), 'Revised SDSs' (188/189, 99%), and 'Number of users' (2). The 'Invite users' link in the 'Number of users' section is highlighted with a red box.

Invited users can have an Admin Role, Staff or No Access Role.

You are flexible to decide access type on location level. A user can be given an Admin role on one location and read-only access to other locations.

To be able to manage SDSs in your library, the user needs an Admin role

Miscellaneous

Create new user ✕

Full name* Email*

Phone

Role

Define global user roles for SDS Manager.
Different roles can access different pages.
In the next step, you can choose which locations the user can access.

SEND INVITATION

Step 4: Look through SDSs that contains restricted chemicals and substitute where necessary

SDS Manager has an overview of all chemicals listed on restriction lists like ZDHC, California Proposition 65, REACH and more.

The substances in these lists are identified with either EC or CAS number.

SDS Manager will extract the CAS and EC numbers from section 3 of the SDS you use and check if these numbers are found in any of the restriction list.

In SDS Manager, you will be able to list all the SDSs you have in your SDS Library that have restricted components.

Click here to [open SDS Manager see what SDS in your library that are containing hazardous chemicals \(require login\)](#).

Below is an example of how we list products with components on restricted list:

Miscellaneous

Hazardous substances
SDS with components listed on restricted substance lists

Search for SDS Search for CAS# in components

Regulation SDS status Approval Status Locations Risk assessment

Product Name	Supplier Name	Revision date	GHS	Locations	Approval Status	EC/CAS	Name of the chemical	Concentration	Listed in	
<0.1 NTU Calibration Solution	Hach Company	2023-02-08		SUS Department	Not Approved	• 64-17-5 • 67-56-1	• Ethanol • Methanol	• <1% • <0.1%	• Z1 Table OSHA • N/A	Open
<= 0.1% SO2/ <= 0.1% CO/ <= 20%CO2 //N2	Calgaz Ltd	2020-02-27		SUS Department	Not Approved	• 124-38-9 • 7727-37-9 • 7446-09-5 Show more	• Carbon dioxide • Nitrogen • N/A Show more	• N/A • N/A • N/A Show more	• Z1 Table OSHA • N/A • N/A Show more	Create
1,2-Dichlorobenzene	AccuStandard, Inc	2021-06-24		Hazardous Area	Not Approved	• 95-50-1	• 1,2-Dichlorobenzene	• N/A	• ZDHC Manufacturing Restricted Substan... • Z1 Table OSHA	Create

The above list is a prospective list of products that you need to assess.


When you have verified that the content is acceptable, you may want to mark the SDS as 'Approved'




Miscellaneous

Warning Update PDF ×

1,2-Dichlorobenzene

AccuStandard, Inc



Health risk rating: 
Safety risk rating: 
Environmental risk rating: 

Need approval Approve Show rows where SDS has no information

General Information

Product name:	1,2-Dichlorobenzene
Product Synonyms:	
Chemical Formula:	C6H4Cl2
CAS N°:	95-50-1
Date of Issue:	2021-06-24
Icons in PDF:	
Customized:	
.txt:	
No.:	




Company Information

supplier name:	AccuStandard, Inc
----------------	-------------------

Step 5: Create Secondary container labels for hazardous chemicals

On the label icon, you can generate Secondary Container labels.

Click here to [open SDS Manager to create Secondary container labels \(require login\)](#)

Product Name ↑	Supplier Name	Location	Signal word	Pictograms & Controls	Substance hazard H S E	Actions
1,2-Dichlorobenzene	AccuStandard, Inc	Hazardous Area	Warning			


Miscellaneous

The label has respective QR codes to view the actual SDS file and track chemical usage and disposal.


Icons from the SDS, Hazard statements and Prevention statements are also shown in the label.

1,2-Dichlorobenzene

Company name: AccuStandard, Inc
Signal Word: Warning



View PDF




Edit Amount

Hazard statements

H227: Combustible liquid ; **H302:** Harmful if swallowed ; **H315:** Causes skin irritation ; **H319:** Causes serious eye irritation ; **H371:** May cause damage to organs (or state all organs affected, if known)(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard) ;

Precautionary statements

P202: Do not handle until all safety precautions have been read and understood. ; **P233:** Keep container tightly closed. ; **P262:** Do not get in eyes, on skin, or on clothing. ; **P264:** Wash ... thoroughly after handling. ; **P280:** Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/... ; **P284:** [In case of inadequate ventilation] wear respiratory protection. ; **P331:** Do NOT induce vomiting. ; **P338:** Remove contact lenses, if present and easy to do. Continue rinsing. ; **P360:** Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. ; **P404:** Store in a closed container. ;




Emergency agency name: CHEMTREC
Emergency agency phone number: 1-800-424-9300



Step 6: Print out SDS binders if you prefer to have hard copies (Optional)

For each location in your SDS library, you can find a 'Print binder' button, which will generate a PDF file that contains all the SDSs stored on that location. On the first page of the SDS Binder, there will be a table of content of all the SDS in the binder.

Click here to [open SDS Manager to generate SDS binders \(require login\)](#)



The screenshot shows the SDS Manager interface. On the left sidebar, 'Manage SDS Library' is highlighted. The main content area shows a table of SDS entries. A dropdown menu is open, showing options like 'Edit location settings', 'Manage QR code access', and 'Generate SDS Binder'. A red arrow points to the 'Generate SDS Binder' option.

Product Name ↑	Signal word	Amount	Pictograms & Controls	Substan
3-In-One All Purpose wd-40 company	Danger	N/A		H2
3M Filtek Z500 Universal Restorative (8020, 8021) 3m company	Warning	N/A		H4 S4 ES

Miscellaneous

The PDF file can be printed out if you need hard copies.


Step 7: Keep your SDS library up to date with new revisions

New revisions of SDSs are issued every 1 to 3 years.

New revisions are issued because of new regulatory requirements, corrections or new discoveries by the suppliers. Users of chemicals are required to have the latest version of the SDS in their library.

SDS Manager are continuously crawling thousands of supplier websites for new revisions of safety data sheets and add them to our database.

When you use SDS manager, you will be alerted when we find new versions of SDSs in your library. In the header bar of SDS Manager, you will see the alert icon showing the number of outdated SDSs you have in your library. In the example below, we have 35 outdated SDSs that need to be updated.



When you click on the notification bell, you will be directed to ["SDS where newer version exists" page](#) where we will list SDSs you have in your library for which we found newer versions.

Click here to [open SDS Manager to review SDS where newer version exists \(require login\)](#).

Product Name	Product Code	Revision date	Revision date newer version	Locations	
MELMENT F 10		2018-08-20	→ 2020-01-15	Lab B	Diff. Upgrade to new version
Navistar Fleetrite Diesel Exhaust Fluid	FLTFP (2.5 Gal); FLTFQ (55 Gal); FLTFR (275 Gal); FLTFS (330 Gal)	2012-03-26	2018-06-01	Lab E	Diff. Upgrade to new version

Click on the "Diff." button to see side-by-side changes between the SDS you are currently using and the new version.

Miscellaneous

Changed values	Current version	New version
Emergency telephone		+1 973 245-6000
Health risk	1	4
Safety risk	1	4
Revision date	2018-08-20	2020-01-15
Environment risk	1	4
Section 3: composition/information on ingredients	<p>According to Regulation 2012 OSHA Haz</p> <p>CAS Number: 50-00-0 Weight %: < 0.1%</p>	<p>According to Regulation 2012 OSHA Haz</p> <p>Formaldehyde</p> <p>CAS Number: 50-00-0 Content (W/W): < 0.1% Synonym: Formaldehyde; Forma</p>
First-aid measures after ingestion	Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

You can choose to upgrade one SDS at a time (1) or upgrade all SDSs to the latest version in one operation (2).

SDS where newer version exists

Refresh all cached SDS values Upgrade all SDS to latest version

SDS status: Only list SDS in use Locations: List SDS on all locations

Product Name	Product Code	Revision date	Revision date newer version	Locations	
MELMENT F 10		2018-08-20	2020-01-15	Lab B	Diff. Upgrade to new version
Navistar Fleetrite Diesel Exhaust Fluid	FLTFP (2.5 Gal); FLTFQ (55 Gal); FLTFR (275 Gal); FLTFS (330 Gal)	2012-03-26	2018-06-01	Lab E	Diff. Upgrade to new version

Unique solution ID: #1100

Author: n/a

Last update: 2024-05-14 11:40